

GENUINE IVIAGE FERGUSON SEATS QUICK REFERENCE GUIDE





Choose a seat to support your customer's well-being

Back pain and spinal problems are one of the biggest health issues amongst farmworkers. With the help of modern tools, more work can be done from inside the cab, and the time spent seated has increased. Problems are partially due to the physical demands and ergonomically poor choices when working. There are a lot of tools available to make the work easier and take the workload off from the body of a driver. When the majority of the workday might be spent sitting, it is especially important to pay attention to the working conditions in the cab and having a proper seat.

When seated in a moving vehicle, the driver will experience movement and vibration, causing strain to the spinal core. The seat that is designed for a tractor will reduce the vibration caused by the movement and make it easier for the spine and joints of the driver. The right seat will support the driver and allow the right amount of suspension. Your seat and its suspension will have a direct influence on the physical stress experienced by the driver through the amount, magnitude and length of vibration.

Cabs come in different shapes and sizes, and so do seats. When choosing a new seat the first important criteria is the space available in the tractor. The new seat should fit into the cab, allowing the optimal use of control devices and features of the seat.

Make sure that seat is selected to fit the cab but also to support the well-being of the driver, being not only comfortable but also designed to reduce the long-term impacts of being seated in a moving vehicle.

Today there is a wide variety of seats available for different tractors and different drivers. You can find seats from the simple mechanical seat to high-end seats with air suspension, heating and air conditioning.

This selection of Massey Ferguson seats is here to help you to find a suitable seat for each driver and their Massey Ferguson tractor.

Do not hesitate to contact your Massey Ferguson dealer support if there are any questions in selecting a seat for your customer's Massey Ferguson.

TABLE OF CONTENT BY TRACTOR				
MODEL	SEAT			
MF 100	9			
MF 200				
	3, 9, 14 3			
MF 300 MF 700	3			
MF 800	3			
MF 1000				
MF 1100	3, 9, 14 3, 9, 14			
MF 2600	3, 9, 14			
MF 2700	3			
MF 3000	3, 9, 14			
MF 3100	3, 9, 14			
MF 3500	3			
MF 3600	3, 9, 14			
MF 4200	3, 13			
MF 4300	3, 9, 13			
MF 4700	1, 8			
MF 4900	3			
MF 5400	2, 3, 4, 13			
MF 5600	3, 5, 6, 9, 11, 15			
MF 5700	1, 3, 5, 6, 8, 9, 10, 11, 12, 15, 16			
MF 6100	3, 9, 14			
MF 6200	3, 9, 15			
MF 6400	4, 9, 15			
MF 6550	9, 14			
MF 6600	6, 9, 11, 15			
MF 6700	1, 3, 6, 8, 9, 10, 11, 12, 16			
MF 7400	9, 15			
MF 7600	6, 7, 9, 11, 15			
MF 7700	5, 6, 9, 10, 11, 12, 15, 16			
MF 8100	3, 14			
MF 8200	3, 14, 15			
MF 8400	15			
MF 8600	17			
MF 8700	17, 18, 19			
MF 8S.205-8S.265	20, 21, 22			



MECHANICAL SUSPENSION

The seat height adjustment in mechanical suspension seats is carried out in 3 stages via a latching mechanism. The exact setting based on the driver's weight is made manually via a setting lever. As a result the driver will experience maximum suspension comfort in mechanical seats. Mechanical suspension is suitable for standard, smaller size tractors.

PNEUMATIC SUSPENSION

Pneumatic suspension means easy and simple height and weight adjustments by pressing or lifting the weight/height adjustment lever. The good operating and suspension comfort of the pneumatic suspension supports the driver to stay operational longer. Pneumatic suspension is suitable for standard tractors.

LOW FREQUENCY SUSPENSION

Low frequency suspension is the vibrationoptimized air suspension perfect for heavy
vehicles. The low frequency suspension
absorbs vertical vibrations and impacts and
prevents a rocking of the seat in critical
operating conditions. The positioning system
does not allow adjustment of the seat to
the highest or lowest position, making sure
that there is always a remaining suspension
stroke of 10 mm in both directions, upwards
and downwards. This feature guarantees
minimum impact on the driver. In addition, the
positioning system automatically regulates
the weight setting. Low frequency suspension
is suitable for medium and large tractors.

HOW TO READ SEAT TYPE: MSG95EL/741 EL MSG95 741 **SUSPENSION SUSPENSION SEAT TOPS CONTROL UNIT SUSPENSION DETAIL &** FIRST DIGIT = **SEAT TOPS WEIGHT ADJUSTMENT SUSPENSION TYPE** 1ST DIGIT 2ND DIGIT 3RD DIGIT Mechanical rear Electronic weight TYPE OF **BACKREST** 44 suspension with weight SEAT adjustment and height adjustment **SEAT TOP WIDTH** HEIGHT 6 Flat mechanical **Automatic** weight Small, two-part A 5 scissor suspension adjustment seat tops Manual weight Large, two-Flat pneumatical G adjustment with 7 part seat tops, scissor suspension control indicator folding backrest Mechanical scissor Low-frequency 1 **NARROW** LOW suspension suspension Pneumatical scissor Electronic active 2 **MEDIUM** HIGH controlled suspension suspension 3 **WIDE** SECOND DIGIT = SUSPENSION WIDTH **EXTRA WIDE** 3 NARROW MEDIUM

7 WIDE

TABLE OF CONTENT BY PART NUMBER:				
PRODUCT NUMBER	SEAT TYPE	SEAT		
3931093M92	MSG95AL/731	14		
4272514M92	MSG95G/731	13		
4276344M91	MSG93/721	4		
4289964M91	MSG85/731	2		
4352324M96	MSG95AL/741	15		
4352780M97	MSG95AL/731	9		
4352781M96	MSG95AL/741	16		
4352782M97	MSG95AL/731	10		
4374056M91	MSG85/731	3		
4374058M92	MSG95G/731	6		
4376956M93	MSG95AL/731	11		
4376957M93	MSG95AL/731	12		
4379655M92	MSG95G/721	5		
ACW0245590	MSG85/731	1		
ACW024734A	MSG95G/731	7		
ACW0252070	MSG95G/731	8		
ACW053135B	MSG95EL/741	18		
ACW139540B	MSG97EL/741	22		
ACW140733B	MSG95G/741	20		
ACW140734C	MSG97AL/741	21		
ACW353170A	MSG95EL/741	19		
ACW3549140	MSG95AL/741	17		



AGCO PARTS PART NUMBER	ACW0245590	4289964M91	4374056M91	4276344M91
MASSEY FERGUSON				
MAGGET TENGGOOK	HEADREST NOT INCLUDED	2 HEADREST NOT INCLUDED	3 HEADREST NOT INCLUDED	4 HEADREST NOT INCLUDED
SEAT TYPE	MSG85/731	MSG85/731	MSG85/731	MSG93/721
Suspension Type	MECH - MSG85	MECH - MSG85	MECH - MSG85	AIR - MSG93
Suspension Stroke	40-0-40 mm	50-0-50 mm	50-0-50 mm	40-0-40 mm
leight Adjustment	60 mm	80 mm	80 mm	60 mm
fore/Aft Isolator				
djustable Damper				
lynamic Damping System (DDS) comfort Module				
ateral (side-to-side) Isolator				
ouble locking slide rails				
ore/aft adjustment travel	160 mm	210 mm	210 mm	180 mm
osition Fore/Aft adjustment lever	LH side	LH side	LH side	RH side
ntegrated Swivel	20°LH/20°RH	20°LH/20°RH	20°LH/20°RH	
wivel in Comfort Module dditional free swing function included in swivel				
SEAT TOP				
ackrest Recliner System	BAG	BAG	BAG	BAG
ackrest Recliner limitation to the rear	35°	35°	35°	35°
pe of cushions	Foam-in-place	Foam-in-place	Foam-in-place	Foam-in-place
lidth of seat cushion	520 mm	520 mm	520 mm	480 mm
eat depth/angle adjustment				
rovision for backrest extension/headrest	•	•	•	•
ackrest Extension Standard ogo				
umbar Support		MECH	MECH	MECH
over Material	Fabric PULMIS	Vinyl Black	Fabric PULMIS	Fabric PULMIS
eating				
ctive Climatisation (ventilation)				
assive Climatisation (active carbon layer) H Armrest	F65/270	A60/380	A60/380	A60/380
H Armrest	F65/270	A60/380	A60/380	A60/380
rovision for mulftifunctional armrest adjuster	100/2.0	1,00,000	7.007.000	7.007000
ocument Holder		PLASTIC BOX	PLASTIC BOX	PLASTIC BOX
eatbelt	ALR			
eatbelt Type Approval Number	E8 0616388			
pacer under Seat Top				
perator Presence Switch Iffset between seat top and suspension	•		•	
IP vertical	329 mm	337 mm	337 mm	302 mm
IP horizontal	157 mm	153 mm	153 mm	131 mm
ype-Approval Number according to V0 EU) No. 1322/2014 Klassen I + II	e1*1322/2014*1322/2014W2*00072*00		e1*1322/2014*1322/2014W2*00072*00	
ype-Approval Number according to V0 EU) No. 1322/2014 Klassen II + III	e1*1322/2014*1322/2014W3*00073*00		e1*1322/2014*1322/2014W3*00073*00	
MODELS	MF 4707-4710, MF 5708- 5711, MF 6711-6713	MF 5425-5460	T750-1050, MF 284S, MF 294, MF 377, MF 387, MF 397 MF 1004-1014, MF 1104-1134, MF 2620-2625, MF 2640- 2645, MF 2680, MF 2720-2725, MF 3050-3095, MF 3115, MF 3120, MF3505, MF 3525, 3545, MF 3600, MF 4215-4270, MF 4315-4370, MF 4900, MF 5400, MF 5608-5613, MF 5710-5713, MF 6100, MF 6200, MF 6711-6713, MF 8110-8160, MF 8200	MF 5410-5475, MF 6465
SEAT COVERS				
extile	3933441M1	3933441M1	3933441M1	3933441M1
Suedette	3933714M1	3933714M1	3933714M1	
eatherette				
HEAD REST				
Pulmis, with logo	3909466M91		3909466M91	3909466M91
sphalt, without logo				
eather, Verona Grey, with logo Imetra Grey, with logo				
lew Prestige, with logo				

AGCO PARTS PART NUMBER	4379655M92	4374058M92	ACW024734A	ACW0252070	4352780M97
MASSEY FERGUSON					
	5 HEADREST NOT INCLUDED	6 HEADREST NOT INCLUDED	7 HEADREST NOT INCLUDED	8 HEADREST NOT INCLUDED	9 HEADREST NOT INCLUDE
SEAT TYPE	MSG95G/721	MSG95G/731	MSG95G/731	MSG95G/731	MSG95AL/731
Suspension Type	AIR - MSG95	AIR - MSG95	AIR - MSG95	AIR - MSG95	AIR - MSG95
Suspension Stroke Height Adjustment	50-0-50 mm 60 mm	50-0-50 mm 80 mm	50-0-50 mm 80 mm	50-0-50 mm 80 mm	50-0-50 mm 80 mm
Fore/Aft Isolator	00 111111	00 IIIIII ●	00 IIIIII	00 111111	00 111111
djustable Damper			•		•
ynamic Damping System (DDS)					
omfort Module					
ateral (side-to-side) Isolator					
ouble locking slide rails					
ore/aft adjustment travel	210 mm	210 mm	210 mm	180 mm	210 mm
osition Fore/Aft adjustment lever	LH side	LH side	LH side	LH side	LH side
ntegrated Swivel wivel in Comfort Module	10°LH/20°RH	10°LH/20°RH	10°LH/20°RH	20°LH/20°RH	10°LH/20°RH
dditional free swing function included in swivel					•
SEAT TOP					
ackrest Recliner System	BAG	BAG	BAG	BAG	BAG
ackrest Recliner limitation to the rear	35°	35°	35°	35°	35°
pe of cushions	Foam-in-place	Foam-in-place	Foam-in-place	Foam-in-place	Foam-in-place
lidth of seat cushion	480 mm	520 mm	520 mm	520 mm	520 mm
eat depth/angle adjustment					
rovision for backrest extension/headrest	•	•	•	•	•
ackrest Extension Standard					
ogo					
umbar Support	MECH Fabric PULMIS	MECH Fabric PULMIS	MECH Fabric PULMIS	Fabric PULMIS	MECH Fabric PULMIS
over Material eating	Fadric Poliviis	Fadric Poliviis	FAULIC PULIVIIS	Fabric Puliviis	Faulic Puliviis
ctive Climatisation (ventilation)					
assive Climatisation (active carbon layer)					
H Armrest	A60/380	A60/380	A60/380	A60/380	A60/380
H Armrest	A60/380	A60/380		A60/380	
rovision for mulftifunctional armrest adjuster			•		•
ocument Holder	PLASTIC BOX	PLASTIC BOX	PLASTIC BOX		PLASTIC BOX
eatbelt				ALR	
eatbelt Type Approval Number				E8 0616388	
pacer under Seat Top					
perator Presence Switch	•	•	•	•	•
Iffset between seat top and suspension	OE1 mm	207 mm	007 mm	387 mm	207 mm
IP vertical IP horizontal	351 mm 167 mm	387 mm 161 mm	387 mm 161 mm	176 mm	387 mm 161 mm
	107 milli				
ype-Approval Number according to V0 EU) No. 1322/2014 Klassen I + II		e1*1322/2014*1322/2 014W2*00103*00	e1*1322/2014*1322/2 014W2*00103*00	e1*1322/2014*1322/2 014W2*00103*00	e1*1322/2014*1322/2 014W2*00081*00
ype-Approval Number according to V0 EU) No. 1322/2014 Klassen II + III		e1*1322/2014*1322/2 014W3*00104*00	e1*1322/2014*1322/2 014W3*00104*00	e1*1322/2014*1322/2 014W3*00104*00	e1*1322/2014*1322/2 014W3*00082*00
MODELS	MF 5608-5613, MF 5710- 5713, MF 7719	MF 5608-5613, MF 5710-5713, MF 6612-6616, MF 6712-6718, MF 7614-7618, MF 7714-7718	MF 7615-7624	MF 4707-4710, MF 5708- 5711, MF 6711-6713	MF 154, MF 240, MF 282, MF 284, MF 294, MF 1004, MF 1014, MF 1114, MF 1134, MF 3050-3095, MF 3115-3125 MF 3610-3690, MF 4355, MF 5608-5613 MF 5710-MF 5713, MF 6110-6190, MF 6235-6290, MF 6445-6499, MF 6550 MF 6613-6616, MF 6713-6718, MF 7465-7499, MF 7614-7626, MF 7715-7726
SEAT COVERS					
extile	3933441M1	3933441M1	3933441M1	3933441M1	3933441M1
Suedette					
eatherette	3933619M1	3933619M1	3933619M1	3933619M1	3933619M1
IEAD REST					
rulmis, with logo	3909466M91	3909466M91	3909466M91	3909466M91	3909466M91
sphalt, without logo					
eather, Verona Grey, with logo					
Ametra Grey, with logo					
New Prestige, with logo					

AGCO PARTS PART NUMBER	4352782M97	4376956M93	4376957M93	4272514M92	3931093M92
MASSEY FERGUSON					
	10 HEADREST NOT INCLUDED	111 HEADREST NOT INCLUDED	12 HEADREST NOT INCLUDED	13 HEADREST NOT INCLUDED	14 HEADREST INCLUDED
SEAT TYPE	MSG95AL/731	MSG95AL/731	MSG95AL/731	MSG95G/731	MSG95AL/731
Suspension Type Suspension Stroke	AIR - MSG95 50-0-50 mm	AIR - MSG95 50-0-50 mm	AIR - MSG95 50-0-50 mm	AIR - MSG95 50-0-50 mm	AIR - MSG95 50-0-50 mm
leight Adjustment	80 mm	80 mm	80 mm	80 mm	80 mm
ore/Aft Isolator	•	•	•	•	•
djustable Damper	•	•	•		
lynamic Damping System (DDS)					
Comfort Module					
ateral (side-to-side) Isolator Jouble locking slide rails					
ore/aft adjustment travel	210 mm	210 mm	210 mm	210 mm	210 mm
osition Fore/Aft adjustment lever	LH side	LH side	LH side	LH side	LH side
ntegrated Swivel	10°LH/20°RH	10°LH/20°RH	10°LH/20°RH	20°LH/20°RH	20°LH/10°RH
Swivel in Comfort Module					
Additional free swing function included in swivel	•	•	•		
ackrest Recliner System	BAG	BAG	BAG	BAG	BAG
ackrest Recliner limitation to the rear	35°	35°	35°	35°	35°
ype of cushions	Foam-in-place	Foam-in-place	Foam-in-place	Foam-in-place	Foam-in-place
lidth of seat cushion	520 mm	520 mm	520 mm	520 mm	520 mm
eat depth/angle adjustment					
rovision for backrest extension/headrest	•	•	•	•	•
ackrest Extension Standard					● MF
ogo umbar Support	MECH	MECH	MECH	MECH	MECH
over Material	Fabric ASPHALT	Fabric PULMIS	Fabric ASPHALT	Fabric PULMIS	Fabric PULMIS
eating					
ctive Climatisation (ventilation)					
assive Climatisation (active carbon layer) H Armrest	A60/380	A60/380	A60/380	A60/380	A60/380
H Armrest	A00/360	A80/380	A80/380	A60/380	A60/380
rovision for mulftifunctional armrest adjuster	•	7.007.000	71007000	71007000	71007000
ocument Holder	PLASTIC BOX	PLASTIC BOX	PLASTIC BOX	PLASTIC BOX	PLASTIC BOX
eatbelt					
Seatbelt Type Approval Number					
Spacer under Seat Top Operator Presence Switch	•	•			
offset between seat top and suspension	•	•	•		
IP vertical	387 mm	387 mm	387 mm	377 mm	377 mm
SIP horizontal	161 mm	161 mm	161 mm	161 mm	161 mm
ype-Approval Number according to V0 EU) No. 1322/2014 Klassen I + II	e1*1322/2014*1322/2 014W2*00081*00	e1*1322/2014*1322/2 014W2*00081*00	e1*1322/2014*1322/2 014W2*00081*00		
ype-Approval Number according to V0 EU) No. 1322/2014 Klassen II + III	e1*1322/2014*1322/2 014W3*00082*00	e1*1322/2014*1322/2 014W3*00082*00	e1*1322/2014*1322/2 014W3*00082*00		
MODELS	MF 5709-5713, MF 6713- 6718, MF 7715-7726	MF 5608-5613, MF 5710-5713, MF 6612-6616, MF 6712-6718, MF 7614-7626, MF 7714-7726	MF 5709-5713, MF 6712- 6718, MF 7714-7726	MF 4215-4270, MF 4315- 4370, MF 5410-5480	MF 294, MF 284S, MF 1004 MF 1014, MF 1114, MF 1134 MF 3050-3095, MF 3110-312 MF 3610-3690, MF 6110-619 MF 6235-6290, MF 6550, MF 8110-8180, MF 8210-828
SEAT COVERS					
Textile	3933441M1	3933441M1	3933441M1	3933441M1	3933441M1
Suedette					
eatherette	3933619M1	3933619M1	3933619M1	3933619M1	3933619M1
HEAD REST					
Pulmis, with logo	1000000	3909466M91	1011	3909466M91	3909466M91
Asphalt, without logo	ACW3333260		ACW3333260		
eather, Verona Grey, with logo Ametra Grey, with logo					

AGCO PARTS PART NUMBER	4352324M96	4352781M96	ACW3549140	ACW053135B
MASSEY FERGUSON				
	15 HEADREST NOT INCLUDED	16 HEADREST NOT INCLUDED	17 HEADREST NOT INCLUDED	18 HEADREST NOT INCLUDED
SEAT TYPE	MSG95AL/741	MSG95AL/741	MSG95AL/741	MSG95EL/741
Suspension Type	AIR - MSG95	AIR - MSG95	AIR - MSG95	AIR - MSG95
Suspension Stroke	50-0-50 mm	50-0-50 mm	50-0-50 mm	30-0-70 mm
leight Adjustment	80 mm	80 mm	80 mm	80 mm
ore/Aft Isolator	•	•	•	•
djustable Damper	•	•		•
Dynamic Damping System (DDS)			•	
Comfort Module			•	•
ateral (side-to-side) Isolator				•
Double locking slide rails			•	•
Fore/aft adjustment travel	210 mm	210 mm	210 mm	210 mm
Position Fore/Aft adjustment lever	LH side	LH side	LH side	LH side
ntegrated Swivel	10°LH/20°RH	10°LH/20°RH		
Swivel in Comfort Module			7.5°LH/22.5°RH	7.5°LH/22.5°RH
Additional free swing function included in swivel	•	•	•	•
SEAT TOP				
	BAG	BAG	BAG	Cousin
Backrest Recliner System	35°	35°	35°	30°
Backrest Recliner limitation to the rear				
ype of cushions	Cut'n'Sew	Cut'n'Sew	Cut'n'Sew	Cut'n'Sew
Vidth of seat cushion	550 mm	550 mm	550 mm	550 mm
Seat depth/angle adjustment	•	•	•	•
Provision for backrest extension/headrest	•	•	•	•
Backrest Extension Standard				
_ogo				
Lumbar Support	AIR	AIR	AIR	AIR
Cover Material	Fabric PULMIS/FIDJI	Fabric ASPHALT	Fabric ASPHALT	Leather VERONA GREY 4718
leating	YES - 1stage	YES - 1stage	YES - 1stage	YES - 1stage
Active Climatisation (ventilation)				•
Passive Climatisation (active carbon layer)	•	•	•	
H Armrest	A60/380	A60/380	A60/380	A60/380
RH Armrest				
Provision for mulftifunctional armrest adjuster	•	•	•	•
Document Holder	PLASTIC BOX	PLASTIC BOX	PLASTIC BOX	PLASTIC BOX
Seatbelt				ALR Anti-Cinch
Seatbelt Type Approval Number				E8 0616388
Spacer under Seat Top				20 mm
Operator Presence Switch	•	•	•	•
Offset between seat top and suspension			30 mm	30 mm
SIP vertical	391 mm	391 mm	423 mm	427 mm
SIP horizontal	159 mm	159 mm	163 mm	165 mm
Type-Approval Number according to VO EU) No. 1322/2014 Klassen I + II	e1*1322/2014*1322/2014W2*00081*00	e1*1322/2014*1322/2014W2*00081*00	e1*1322/2014*1322/2014W2*00087*00	e1*1322/2014*1322/2014W2*00093*
Type-Approval Number according to VO EU) No. 1322/2014 Klassen II + III	e1*1322/2014*1322/2014W3*00082*00	e1*1322/2014*1322/2014W3*00082*00	e1*1322/2014*1322/2014W3*00088*00	e1*1322/2014*1322/2014W3*00094*(
MODELS	MF 5610 -5613, MF 5710-5713, MF 6235-6290, MF 6445-6499, MF 6613-6616, MF 6713-6718, MF 7465-7499, MF 7615-7626, MF 7715- 7726, MF 8210-8280, MF 8450-8480	MF 5709-5713, MF 6713- 6718, MF 7715-7726	MF 8650-8690, MF 8727-8740	MF 8727-8740
SEAT COVERS				
	2004.007844	2004.007844	2004.007144	
Textile Support	3931807M1	3931807M1	3931807M1	
Suedette	3933714M1	3933714M1	3933714M1	
Leatherette	3933618M1	3933618M1	3933618M1	
HEAD REST				
Pulmis, with logo	3909466M91			
Asphalt, without logo		ACW3333260	ACW3333260	
eather, Verona Grey, with logo				ACW2160890
Ametra Grey, with logo				

